

**FAB**  
**DEFENSE®**



Since its inception, FAB-Defense® Tactical Equipment and Weapon Accessories has been leading in development and manufacture of the highest quality tactical equipment and weapon accessories for the State of Israel's Military and Police.

FAB-Defense® R&D department works in collaboration with Special Forces and SWAT teams worldwide to design creative, ability enhancing solutions for the ongoing dynamic challenges met in the field.

FAB-Defense® superior ergonomics, functionality and durability, reflects decades of design experience through continuous improvement and successive generations of weapon accessories.

The cutting edge engineering, manufacturing and quality assurance methods are integrated into leading technologies ensuring the products we produce exceed even the most stringent industry standards.

All of our products are rigorously tested in the harshest environments and under extreme conditions by some of the best tactical units in the world.

The unique production standards are first and foremost preceded by operational field experience, leading the way in tactical accessory utilization.

Our primary objective is to provide our customers, Law Enforcement and military personnel with the tools they need to defend their home, homeland and carry out their missions, providing the edge they need, insuring optimal safety and operational readiness.

FAB-Defense® is a registered trademark of FAB Manufacture & Import of Industrial Equipment Ltd.

## KPOS G2 CLASSIC



**KPOS**  
PAGE 04-06




**GRIPS**  
PAGE 07-19



**BUTTSTOCKS**  
PAGE 20-33




**RAIL SYSTEM**  
PAGE 34-45



**FLASHLIGHTS & MOUNTS**  
PAGE 46-51



**MAGAZINES & ACCESSORIES**  
PAGE 52-56




**PARTS & UPGRADES**  
PAGE 57-61



**SELF-DEFENSE & TRAINING**  
PAGE 62-63



**SAFETY PRODUCTS**  
PAGE 64-65




**SCORPUS HOLSTERS**  
PAGE 66-67



**SELF-HEALING TARGETS**  
PAGE 68-72

## M16-M4-AR15



## REMINGTON 870



## RUGER 10/22

P. 59

**SD 34/30**



P. 50

**SPL 3V**

P. 47

**PLR**

P. 31

**UAS R10/22**

P. 16

**T-POD G2**

## H&K G3

P. 23

**GL-SHOCK**

P. 59

**SD 34/30**

P. 42

**G3-SM**



P. 42

**G3-RS**

P. 25

**M4-G3 FK**

P. 16

**T-POD G2**

P. 47

**PLR**

## GLOCK



P. 44

**GIS**

P. 25

**GLR-17/440**

P. 13

**FGGK-S**

## SA VZ-58

P. 32

**SBT-V58**

P. 39

**VFR-VZ**



P. 23

**GL-SHOCK**

P. 09

**AG-58**

P. 11

**TAL-4**

## TAVOR - TAR 21

P. 58

**RBS**

P. 58

**FBS**



P. 54

**ULTIMAG 30R**

P. 18

**TAR PODIUM**

P. 13

**RSG**

## GALIL

P. 29

**UAS GALIL P**

P. 43

**VFR-GA**



P. 47

**PLR**

P. 09

**AG-47**

P. 14

**T-FL**

## FN FAL

P. 25

**M4-FAL**



P. 50

**SPL 6V**

P. 09

**AG-FAL**

P. 11

**TAL-4**

P. 49

**PLR**

## H&K 33

P. 30

**UAS-MP5**

P. 42

**G3-SM**



P. 50

**SPL 6V**

P. 16

**T-POD G2**

P. 47

**PLR**

## M16-M4-AR15

P. 23

**GL-SHOCK**

P. 35

**FGR-3**

P. 50

**SPL-6V**



P. 48

**PLS**

P. 58

**SLS**

P. 08

**AG-43**

P. 15

**MWG**

P. 12

**REG**

## AK 47-74

P. 29

**UAS-AKP**

P. 39

**VFR-AK**



P. 15

**VTS**

P. 09

**AG-47**

P. 56

**MCE**

P. 12

**PTK**

## M16-M4-AR15

P. 21

**GL-MAG**

P. 37

**NFR**

P. 47

**PLR**



P. 50

**SPL-3V**

P. 08

**AGR-43**

P. 15

**MWG**

P. 16

**T-POD G2**

## AK 47-74

P. 28

**SBT-K47 FK**

P. 38

**AK-47**



P. 23

**GLR-16**

P. 09

**AG-47**

P. 54

**MCE**

P. 18

**T-POD OR**

## H&K MP5

P. 30


**UAS-MP5**

P. 42

**MP5-SM**

P. 42

**MP5-RS**



P. 50

**SPL-3V**

P. 60

**SLS**

P. 56

**TZ-5**

P. 11

**TAL-4**

P. 47

**PLR**

## MOSSBERG 500

P. 27


**GPCP**

P. 41

**PR-MO**

P. 55

**SH-5**



P. 50

**SPL-6V**

P. 27

**AGMF500-FKSB**

P. 11

**AG-44 S**

P. 48

**PLS-1**

## SIG-SAUER 551

P. 40

**SIG-551 SM**



P. 60

**SLS**

P. 16

**T-POD G2**

P. 47

**PLR**

## REMINGTON 870

P. 27

**GPCP**

P. 41

**PR-870**

P. 55

**SH-5**



P. 12

**PTK**

P. 27

**AGRF870-FKSB**



# KPOS G2

## 2ND GEN PISTOL TO PDW CONVERSION



The new sleek design KPOS Generation 2 P.D.W conversion kit turns your handgun into a fully adjustable, rock solid personal defense weapon system with upgraded performance.

### AVAILABLE FOR:

Glock: Full size / Compact Glock Gen 3&4 including "C" models | F.N: 5.7 | Jericho: 941, 941F/FS/R, 941P/PL Both IMI & IWI versions | SIG-SAUER: P226 & SP2022 PRO | Beretta PX4 Storm | CZ: DUTY, SHADOW | Springfield: XD/XDM | HS2000

**G2 Classic:** Weight: 960 gr | Width: 59 mm | Height: 146 mm | Length: 370 mm | Length open: 598 mm

### G2 CLASSIC

X



### G2 DELTA

X



### G2 COLLAPSIBLE

X



### G2 PATHFINDER

X



> Does not require an SBR tax stamp

# KPOS G2 BUTTSTOCK UPGRADE OPTIONS

## COLLAPSIBLE UPGRADE

X



➤ Also available with an adjustable cheek rest

## DELTA UPGRADE

X



- Solid aluminum frame, milled of 6061 T6 Billet aluminum with built-in AR15 style charging mechanism
- Large variety of buttstock options allow perfect user and mission compatibility;
  - G2 Classic: slim and compact design for undercover units and personnel
  - G2 Delta: compact design with built in cheek rest for mounted sights
  - G2 Collapsible: M4 collapsible 5 position buttstock system
  - G2 Pathfinder: M16 Pistol like buffer tube, does not require an SBR tax stamp
- Removable flash hider for use of a suppressor up to 35mm in diameter single bolt assembly
- Quick and easy Installation, no tools or modification needed, does not require lying down on a table
- Incorporates a full length upper 1913 MIL-STD picatinny rail and one piece side and under rails
- All system parts are one with the frame - no loss of parts
- Smallest and lightest frame (folded or open) on the market
- Highly ventilated aluminum frame for safe use with compensator models
- Provided with the F-GGK Trigger Guard Foregrip securing "loaded chamber" carry
- 25 years limited lifetime warranty



➤ Compact and slim design



➤ M4 style charging mechanism

# KPOS

## PISTOL TO PDW CONVERSION

### AVAILABLE FOR:

Glock C | Glock 17/17L/19/22/23/34/35 | Glock 18 |  
Glock 21 Sig 226 | Sig 2022 (Pro)

The KPOS Pistol to P.D.W Conversion kit is the most compact and durable system available incorporating a five-point hold on your weapon and securely attaches to the one-point Bungee tactical sling provided in the kit.

Side folding, height adjustable stock design made for compact and comfortable use.

the frame is milled out of a solid block of 6061 T6 billet aluminum matt black hard coat anodized for optimal wear resistance.

## FOLDED

X



Weight: 760 gr  
Width: 56 mm  
Height: 140 mm  
Length: 345 mm  
Length: 550 mm (open)

### STOCK OPTIONS:

ARS: Anti-Riot Helmet Visor Stock

- Designed for professionals, ideal for personal protection, S.W.A.T and tactical teams
- Compact and slim design, easily concealed under a jacket, smaller than a mini-Uzi
- Solid aluminum frame, milled of 6061 T6 billet aluminum matt black hard coat anodized
- Highly ventilated aluminum frame for safe use with compensator models
- Improves stability accuracy and increase handgun effective range
- Height adjustable, side folding compact buttstock with rubber buttpad
- May be safely used when stock is folded
- Provided with the F-GGK Trigger Guard Foregrip securing "loaded chamber" carry
- Allow use of the original iron sights, does not require mounting additional optics
- Incorporates an upper, side and under 1913 MIL-STD picatinny rails for mounting of optics and accessories
- Removable flash hider for use of a suppressor up to 30mm in diameter dual bolt assembly
- Quick and easy installation, no gunsmith required
- 25 years limited lifetime warranty

# GENERAL PROPERTIES



Our line of grips were all ergonomically designed by our specialized team to improve trigger operation, prevent wrist fatigue and ensure secure grip in wet conditions as well as proper ventilation, by using a special non slip texture and high grade polymer and Latex materials.

All made of one piece Mil-Spec durable and lightweight polymer composite. Foregrips are made to fit on all 1913 MIL-STD Picatinny rails.

PAGES **07-19**

# GRIPS



TRIGGER OPERATION

# SUPERIOR GRIP UNDER ANY CONDITION

The AGR-43/47 are the latest additions to our line of Pistol Grips featuring a multi-textured rubber overmold, enhancing grip experience, adding even more comfort and proper ventilation needed in extreme heat and moist environments, giving you the edge you need.

## XXX AGR-43



Weight: 130 gr  
Width: 33 mm  
Height: 127 mm  
Length: 83 mm

**Compatibility:**  
➤ M16 / M4 / AR15 Models

## XXX AGR-47



Weight: 120 gr  
Width: 33 mm  
Height: 109 mm  
Length: 80 mm

**Compatibility:**  
➤ AK-47 / 74 Variants  
➤ AKS-74U 'Krinkov' Variants  
➤ Galil Models

## AGR-43 / 47

Rubberized Ergonomic Pistol Grips

- MIL-SPEC reinforced polymer composite with multi-textured rubber over-mold
- Three different rubber Over-molded style textures for superior grip and ventilation
- Finger swells and a back-strap shape design provides higher, firmer grip even when wet
- Readily accessible waterproof storage area with securely sealed hinged door

Weight: 96 gr  
Width: 33 mm  
Height: 127 mm  
Length: 83 mm

## AG-43

M16 / M4 / AR15 Ergonomic Pistol Grip

XXX



- Finger swells and a backstrap shape designed to enhance grip, even when wet
- Extended beavertail for better control, allowing a higher firmer hold
- Readily accessible storage area with securely sealed hinged door
- MIL-SPEC fiberglass reinforced polymer composite

Weight: 119 gr  
Width: 33 mm  
Height: 127 mm  
Length: 83 mm

## AGF-43S

M16 / M4 / AR15 Folding Ergonomic Pistol Grip

X



- Transforms from a pistol grip into a horizontal grip in folded position
- Minimize weapon overall dimensions fits easier in gun case and on weapon rack
- Provides easier maneuverability, more convenient for undercover work and concealment
- Easier and faster vehicular deployment
- Quick fold/unfold button





## CUSTOMER'S REVIEWS

### AGR-43

Best pistol grip I've ever used

★★★★★

BY DoubleTapper

Unlike others, the State-of-the Art Multi-Textured Rubber feels like it's glued to my hand. It's Rib Studded at the palm, Alligator Patterned at the fingers, and Moon Surfaced on the Sides. This is one pistol grip that's a pleasure to carry and shoot.

### AG-47

Awesome grip

★★★★★

By AK-47MAN

I bought this grip for my Draco AK-47 pistol and I am so happy with the purchase. Not only it looks great, it also feels great. It came with a screw and washer. Easy installation. It took me less than 3 minutes to install. It fits perfectly and very tight and solid. When I buy a 2nd AK-47, I would definitely buy this grip again. I highly recommend this on your AK-47. Definitely a 5 star grip.

Weight: 106 gr  
Width: 33 mm  
Height: 108 mm  
Length: 83 mm

### AG-47

AK 47/74 Ergonomic Pistol Grip

XXX



- > Advanced ergonomic design prevents wrist fatigue and improves trigger operation
- > Built-in storage with removable battery holder for two CR 123 3v batteries
- > MIL-SPEC fiberglass reinforced polymer composite

Weight: 113 gr  
Width: 33 mm  
Height: 110 mm  
Length: 83 mm

### AG-58

SA VZ-58 Ergonomic Pistol Grip

XXX



- > Advanced ergonomic design prevents wrist fatigue and improves trigger operation
- > Built-in storage compartment
- > MIL-SPEC fiberglass reinforced polymer composite

Weight: 106 gr  
Width: 33 mm  
Height: 108 mm  
Length: 83 mm

### AG-FAL

FN-FAL Ergonomic Pistol Grip

XXX



- > Advanced ergonomic design prevents wrist fatigue and improves trigger operation
- > Built-in storage compartment
- > MIL-SPEC fiberglass reinforced polymer composite

Weight: 218 gr  
Width: 71 mm  
Height: 118 mm  
Length: 105 mm  
Deployed: 130 mm

### SG-1

AK-47 / 74 / Galil Sniper Pistol Grip

X



- > Advanced ergonomic design prevents wrist fatigue and improves trigger operation
- > Built-in storage compartment
- > MIL-SPEC fiberglass reinforced polymer composite
- > Adjustable under-palm rest, for comfortable positioning during long periods of time

## AGR-870

Remington 870 Pistol Grip

XXX



Weight: 155 gr  
Width: 44 mm  
Height: 153 mm  
Length: 65 mm

## AGM-500

Mossberg 500 Pistol Grip

XXX



Weight: 134 gr  
Width: 47 mm  
Height: 142 mm  
Length: 68 mm

ULTIMATE  
PERFORMANCE

- > Advanced ergonomic design
- > Prevents wrist fatigue
- > Improves trigger operation
- > Built-in storage compartment
- > MIL-SPEC fiberglass reinforced polymer composite
- > Quick detach sling swivel sockets on both sides

XXX

NEW!

## PM-G

Makarov PM/PPM magazine release grip

Weight: 72 gr  
Width: 32 mm  
Height: 93 mm  
Length: 77 mm



- > Replaces the original grip with an improved ergonomic design
- > Incorporates a unique built in Thumb operated magazine release mechanism
- > Allow improved magazine change operated by the trigger hand
- > Extended beavertail design for optimal slide bite protection
- > Built-in safety cord attachment ring
- > User installed, no Gunsmith required
- > Provided with rubberized textured grip tape for complete upgrade
- > Available in black, olive drab green or flat dark earth
- > Also available in the PM-G L version for left handed shooters

### Compatibility:

- > Makarov PM/PPM 9x18 Pistols

LEADING  
INNOVATION

The PM-G presents a unique solution for the Makarov PM / PPM pistols, adding a built-in magazine release mechanism operated by the trigger hand thumb for swift magazine change and extended beavertail design for slide bite protection.

**X**

## WG 1911

1911 Magwell Grip

Weight: 34 gr  
 Width: 32 mm  
 Height: 105 mm  
 Length: 58 mm

- > Magwell funnel design for easier and smoother reloading
- > Fits 1911 and most clones
- > Easy installation-no gunsmith required
- > Textured for maximum non-slip control
- > Made of high grade fiberglass reinforced polymer composite
- > Slim and low profile

**X**

## G-1911

1911 Polymer Grips

Weight: 26 gr  
 Width: 13 mm  
 Height: 103 mm  
 Length: 38 mm

- > Fits 1911 and most clones
- > Easy installation-no gunsmith required
- > Textured for maximum non-slip control
- > Made of high grade fiberglass reinforced polymer composite
- > Slim and low profile

**XXX**

## TAL-4

Tactical Ventilated Foregrip

Weight: 134 gr  
 Width: 40 mm  
 Height: 119 mm  
 Length: 65 mm

- > Quality non-slip design
- > Double side pressure switch housing
- > Water proof anti rattles storage for two CR123 or AA batteries
- > Quick release mechanism, secured with a single bolt
- > User installed-no modification or gunsmith required
- > Made of high grade fiberglass reinforced polymer composite
- > Improves on-target time and muzzle control
- > Compatible with all 1913 MIL-STD picatinny rails

**XXX**

## AG-44 S

Ergonomic Foregrip

Weight: 113 gr  
 Width: 33 mm  
 Height: 116 mm  
 Length: 85 mm

- > Provides a natural fighting stance
- > Slightly angled to counter recoil
- > Incorporates convenient storage compartment
- > Improves on-target time and muzzle control
- > Made of high grade fiberglass reinforced polymer composite
- > Quick and easy installation - no gunsmith required
- > Compatible with all 1913 MIL-STD picatinny rails

XXX



## PTK

Ergonomic Pointing Grip

Weight: 60 gr  
Width: 34 mm  
Height: 61 mm  
Length: 130 mm

- > Provides natural grip positioning for point and shoot techniques
- > Innovative design made to prevent wrist fatigue and increase long range accuracy
- > Maintains natural body stance
- > Allows versatile positioning for optimal comfort
- > Made of a single piece of extremely durable fiberglass reinforced polymer composite
- > Provides an additional compartment for cleaning kit or battery
- > Fits on all 1913 MIL-STD picatinny rails
- > Also available in a PTK VTS Combo pack for optimal support

## LEADING INNOVATION

The PTK conceptualizes within its design a unique Special Forces combat proven instinctive shooting method incorporating natural pointing positioning which enhances accuracy and tactical performance.

XXX



## REG

Multi Textured Rubberized Foregrip

Weight: 138 gr  
Width: 47 mm  
Height: 119 mm  
Length: 54 mm

- > Unique design with comfortable texture and sleek contour for superior hold
- > High grade latex non-slip overmold for use with or without gloves
- > Enhances overall tactical versatility and performance
- > Convenient waterproof storage compartment for batteries or cleaning kit
- > Secure mount with durable quick detach bolt locking mechanism
- > Made with high grade latex and fiberglass reinforced polymer composite material

XXX



## FGG-S

Handgun and rifle tactical folding foregrip

Weight: 151 gr  
Width: 44 mm  
Height: 71 mm  
Length: 139 mm

- > Specifically designed not to interfere with handgun firing when in horizontal position
- > Quickly transforms from a horizontal grip to a vertical grip
- > Easy and fast adapt/removal mechanism
- > Fits all 1913 MIL-STD picatinny rails
- > Fits most handguns with underside accessory rail



## CUSTOMER'S REVIEWS

**REG**

**Works great**



BY Jareld

It's a great solid ergonomic grip, completely rubberized which makes it easy to hold if your hands get sweaty or you're in wet conditions. It's solid and sturdy built. Would definitely recommend.

**FGG-K**


**Awesome!**



BY Sturdivant

Add this to a pistol and connect a Glock stock on the gun too. Now you have an instant weapon for home defense. With the added trigger guard, you don't have to worry about an accidental discharge.

**XXX**



**RSG**

Rubberized Stout Foregrip

Weight: 122 gr  
Width: 52 mm  
Height: 100 mm  
Length: 78 mm

- > Provided with a 31mm/4.37" extension for enhanced grip and versatility
- > Non slip ergonomic design rubberized foregrip for a superior hold
- > Extremely durable quick release foregrip with a side picatinny rail or PTT housing
- > May rotate 180 degrees for ambidextrous use
- > Stout design, keeps your weapon as compact as possible for CQB
- > Convenient waterproof storage compartment for batteries or cleaning kit
- > Made with high grade latex and fiberglass reinforced polymer composite material
- > User installed-no modification or gunsmith required
- > Available in black, olive drab green or flat dark earth

**X**



**FGK-S**

Folding Foregrip & Handgun Trigger Guard

Weight: 104 gr  
Width: 42 mm  
Height: 38 mm  
Length: 153 mm

- > Trigger guard enhances safety by securing loaded chamber carry
- > Designed for quick and easy operation
- > Easily fits on firearm and secured on accessory rail with a single bolt
- > Fits on handguard equipped with a weaver or underside picatinny rail
- > Quick and easy installation, no gunsmith required
- > A complementary product for the GLR-17/440 Glock stock

Weight: 123 gr  
Width: 38 mm  
Height: 110 mm  
Length: 65 mm

## T-FL

Tactical 7 Point Folding Foregrip

XXX



- > Easy to fit and secure
- > Versatile foregrip, folds to any of seven angles including horizontal
- > Enhances natural fighting stance and hold on your rifle
- > Incorporates a convenient storage compartment
- > Improved reaction, on-target time and muzzle control during CQB
- > 1913 MIL-STD picatinny compatible

Weight: 115 gr  
Width: 43 mm  
Height: 110 mm  
Length: 61 mm

## TFL-QR

Quick Release Tactical 7 Point Folding Foregrip

XXX



- > Easy to fit and secure quick release lever
- > Versatile foregrip, folds to any of seven angles including horizontal
- > Enhances natural fighting stance and hold on your rifle
- > Incorporates a convenient storage compartment
- > Improved reaction, on-target time and muzzle control during CQB
- > 1913 MIL-STD picatinny compatible

XXX



## TFS

Adjustable Side-folding Foregrip

Weight: 112 gr  
Width: 45 mm  
Height: 113 mm  
Length: 51 mm

- > Adjustable 7 positions side-folding foregrip
- > Enhances overall weapon handling
- > Ideal for CQB and various terrain operations
- > Minimizes front hand exposure while positioned in doorway
- > Built-in storage compartment for batteries or cleaning kit

## CUSTOMER'S REVIEWS

TFS

Corner Shot  
BY R.J

★★★★★

Just came in a few days ago. I decided to take it to the range and do some wall positioning drills. Having the vertical grip on either side I was able to maneuver corners covertly and still have full control of my ar-15. Love this thing and it has 5 positions (though it stated 7) where I can revert back to a normal vertical grip. The horizontal portion was NOT completely horizontal it is about a 10-15 degree angle but it still can get the job done. The quick detach also comes in handy if I do need to go back to a bench rest type situation. I would recommend this product.

XXX



## VTS

Versatile Tactical Support

Weight: 21 gr  
Width: 35 mm  
Height: 34 mm  
Length: 42 mm

- > Allows optimal personal configuration of the rifle
- > Fits on all 1913 MIL-STD picatinny rails and secured with one bolt
- > Improves weapon control and ergonomics
- > Permits safe and efficient use in extreme operational scenarios
- > Also available in a PTK VTS Combo pack for optimal support

**SIMPLY  
EFFECTIVE**

The VTS provides versatile gripping solutions, enhancing comfort and increasing accuracy. This Versatile Tactical Support may be set in various configurations for ideal operational superiority and compact configuration.

XXX



## MWG

Mag-Well Funnel Foregrip

Weight: 82 gr  
Width: 45 mm  
Height: 71 mm  
Length: 91 mm

- > Mag-well funnel design, made for swift magazine change
- > Incorporates a serial number window viewer
- > Provides a close grip for speed and CQB maneuverability
- > keeps hands off the magazine, reducing miss-feed and malfunctions
- > Fits M16, M4 and AR-15 non-polymer lower receivers

XXX



## MG-20

Foregrip & Spare Magazine Holder

Weight: 79 gr  
Width: 33 mm  
Height: 82 mm  
Length: 90 mm

- > Enhances tactical versatility
- > Quick-release attachment allows easy mounting and removal
- > Secure bolt locking system allows optional "permanent" mounting
- > High-grade fiberglass reinforced polymer construction

# T-POD G2


ROTATING TACTICAL FOREGRIP BIPOD **XXX**

Weight: 359 gr  
Width: 63 mm  
Height: 157 mm  
Length: 63 mm

- > Transforms from a foregrip in to a fully functional bipod with the push of a button
- > Quick release mounting mechanism compatible with any 1913 MIL-STD Picatinny rail
- > Legs are milled of 6061-T6 billet, matte black hard coat anodized aluminum
- > Tested to withstand up to 250 lbs./115kg during operation



- > Rotating and tilting head mechanism precision shooting and moving targets
- > Head features a unique adjustable pressure switch mount for ideal versatility



- > Independent 5 levels leg length adjustment for steady operation on an uneven surface

**ULTIMATE  
ALL-TERRAIN  
POSITIONING**



## CUSTOMER'S REVIEWS

**T-POD G2**

**Awesome Foregrip**

BY C.W



The left to right pivot and rotation on this bipod is a great additional feature! When installed it has a very solid feel and the adjustable height in bi-pod mode is a plus for shooting from a solid surface such as a bench or hard ground. I installed this one on my AR-15 and will be ordering another for my AR-10!! At this price point I haven't seen a more diverse and useable tactical grip.

XXX



## T-POD G2 QR

Combined Foregrip Bipod G2 and Flashlight-Holder

Weight: 296 gr  
Width: 44 mm  
Height: 148 mm  
Length: 70 mm

- > The most compact version of the T-POD G2, made for increased maneuverability
- > Built for designated marksmen and those operating in the urban theatre

XXX



## T-POD G2 FA

Combined Foregrip Bipod G2 and Flashlight-Holder

Weight: 345 gr  
Width: 44 mm  
Height: 148 mm  
Length: 135 mm

- > Tailcap thumb switch activates flashlight on/off modes and allow easy operation
- > Compatible with any back pressure activated 1" in diameter flashlight

X

NEW!



## T-POD G2 SL

Foregrip Bipod G2 with Built-in Tactical Light

Weight: 390 gr  
Width: 44 mm  
Height: 148 mm  
Length: 155 mm

- > Tailcap thumb switch activates flashlight on/off modes and allow easy operation
- > Integrating a foregrip, bipod and the Speedlight G2 3v 378 LED lumen tactical light, streamlines your weapon and saves valuable rail space

- > Transforms from a foregrip in to a fully functional bipod by the push of a button
- > Built for designated marksmen and those operating in the urban theatre
- > Wide leg opening offers enhanced stability and accuracy
- > Independent 5 levels leg length adjustment for steady operation on an uneven surface
- > Allows 15 degrees tilt option for precision shooting
- > 6061 T6 Billet aluminum, steel and fiberglass reinforced polymer composite construction
- > Unique double back button design eliminates accidental deployment of the bipod in tough conditions
- > Quick release mounting mechanism compatible with any 1913 MIL-STD Picatinny rail
- > Tested to withstand up to 250 lbs./115kg during operation

XXX

**NEW!**

# TAR PODIUM

Quick deployment bipod for TAR 21 models

Weight: 390 gr  
Width: 44 mm  
Height: 148 mm  
Length: 155 mm



- > Compact and sleek design with no protruding parts
- > Rapid deployment mechanism operates by the push of a button
- > Provides steady and durable bipod platform
- > Quick and easy installation, no Gunsmith required
- > Replaces the grip bottom cap and secured with a single screw
- > Made of light and durable high-end reinforced polymer composite
- > Saves valuable rail space for additional mounting options
- > Available in black, olive drab green or flat dark earth
- > Designed by Tamir Porat, designer of the Tavor TAR 21

**Compatibility:**

- > TAR 21 rifles including CTAR 21 / GTAR 21 and STAR 21

XXX



## T-POD

Tactical Foregrip Bipod

Weight: 347 gr  
Width: 45 mm  
Height: 163 mm  
Length: 70 mm

XXX



## T-POD QR

Quick Release -  
Tactical Foregrip Bipod

Weight: 347 gr  
Width: 45 mm  
Height: 163 mm  
Length: 70 mm

- > Quick release mechanism

XXX



## T-POD SL

Foregrip-Bipod with  
Built-in Tactical Light

Weight: 411 gr  
Width: 45 mm  
Height: 163 mm  
Length: 150 mm

- > Integrated button-activated 378 LED lumen tactical light

XXX



## T-POD FA

Foregrip-Bipod  
& Flashlight-Holder

Weight: 384 gr  
Width: 49 mm  
Height: 160 mm  
Length: 134 mm

- > Integrated pressure activated 1" flashlight holder

- > Independent 5 levels leg length adjustment for steady operation on an uneven surface
- > Non slip, ventilated design reduces palm moisture build up
- > Double sided pressure switch housing for ideal tactical light operation
- > Performance-enhancing accessory for any firearm with a 1913 MIL-STD picatinny rail
- > Quick and easy installation, no Gunsmith required

# BIPOD SOLUTIONS



XXX



## H-POD

Harris Bipod Tilting & Rotating  
Polymer Picatinny Adaptor

Weight: 152 gr  
Width: 63 mm  
Height: 55 mm  
Length: 63 mm

- > Versatile tilting swivel head with quick release
- > Durable, lightweight reinforced polymer construction
- > User installed-no Gunsmith required
- > Head features a unique adjustable pressure switch mount

XXX



## H.A.B.A.

Harris Bipod Aluminum  
Picatinny Adaptor

Weight: 77 gr  
Width: 50 mm  
Height: 27 mm  
Length: 61 mm

- > Provides quick and easy installation of a Harris bipod
- > Mounts to any 1913 MIL-STD picatinny rail
- > Durable and lightweight 6061 T6 aluminum construction
- > Quick release hinge for optimal tactical performance

X



## HBA-3

Harris Bipod Polymer Picatinny  
Adaptor

Weight: 33 gr  
Width: 30 mm  
Height: 28 mm  
Length: 69 mm

- > Provides quick and easy installation of a Harris bipod
- > Mounts to any 1913 MIL-STD picatinny rail
- > Durable and lightweight reinforced polymer construction

X



## M4-BHA

M4 Bayonet Aluminum Bipod  
Adaptor

Weight: 52 gr  
Width: 30 mm  
Height: 27 mm  
Length: 55 mm

- > Provides quick and easy installation of a Harris bipod
- > Mounts to an M4 / AR15 / M16 Bayonet Lug
- > Durable and lightweight 6061 T6 aluminum construction

# GENERAL PROPERTIES



The FAB-Defense buttstocks line was all carefully engineered and ergonomically designed by our specialized team, in order to provide you with the strongest, lightest, most useful and innovative enhancement for your weapon, all made of Mill-Spec fiber glass reinforced durable polymer composite and features a non-slip buttpad.

PAGES **20-33**



# BUTT STOCKS

COMFORT SECURITY

## GL-MAG

M4 / AR15 Survival Buttstock  
W/ Built-in Mag Carrier

Weight: 354 gr  
Width: 43 mm  
Height: 130 mm  
Length: 180 mm

XXX



- Compatible with all standard sized M4 magazines
- Technical specifications includes magazine

## GK-MAG

AK-47 Survival Buttstock  
W/ Built-in Mag Carrier

Weight: 473 gr  
Width: 44 mm  
Height: 160 mm  
Length: 180 mm

XXX



- Compatible with all standard sized AK47 magazines
- Technical specifications includes magazine

## 'SURVIVAL' BUTTSTOCKS AND MAGAZINE CARRIERS

- QD sling swivel sockets on both sides for the SLS sling attachment
- Incorporates a sleek design magazine carrier with no protruding parts
- Ergonomically positioned for swift magazine change
- Unique slick and easily operated inversed positioning lever
- Maintains natural 'buttstock to shoulder' positioning
- Unique patented "anti-rattle" mechanism allows fit on both MIL-SPEC and COM-SPEC tubes
- Upgrade options: assault buttpad, sniper buttpad or mono-pod



X



## SRP

Rubberized Sniper Butt-Pad

Weight: 89 gr  
Width: 43 mm  
Height: 131 mm  
Length: 40 mm

- > Provides additional support and firmer hold for accurate shooting
- > Made of reinforced polymer composite with textured rubber overmold
- > Non-slip textured rubber allows fast and stable shoulder positioning



### COMPATIBILITY:

GL-SHOCK, GL-MAG / GK-MAG  
Buttstocks

X



## ARP

Rubberized Assault Butt-Pad

Weight: 81 gr  
Width: 43 mm  
Height: 131 mm  
Length: 27 mm

- > Provides rapid shoulder positioning and faster, more comfortable target change
- > Made of reinforced polymer composite with textured rubber overmold
- > Non-slip textured rubber allows fast and stable shoulder positioning



### COMPATIBILITY:

GL-SHOCK, GL-MAG / GK-MAG  
Buttstocks



## AR15NEWS.COM

### FAB DEFENSE GL-MAG M4 'SURVIVAL' BUTTSTOCK

Posted on August 2nd, 2012 by ar15news

"You might be wondering what makes it a "Survival" buttstock. Well, they've incorporated an M4 Mag Carrier right into the rear of the buttstock. It's intended for a 10 round mag due to its smaller size and lighter weight when loaded. This is a pretty sweet design concept for the buttstock. When the time comes that you need your gun you never want to run out of ammo and this gives you just one more place to keep some."

See full article at: <http://www.ar15news.com>

XXX



## GL-SHOCK


M4/AR15 Shock Absorbing Collapsible Buttstock

Weight: 308 gr  
Width: 43 mm  
Height: 130 mm  
Length: 180 mm

- > Contains a silicon chrome alloy spring based shock-absorbing mechanism
- > Slick and easily operated inversed positioning lever, will not get caught on gear or webbing
- > Integrated ambidextrous QD quick detach swivel rear sling connectors
- > Integral replaceable non-slip design ribbed rubber butt pad
- > Watertight battery storage for two CR123 3v lithium / AA 1.5v batteries
- > Unique patented "anti-rattle" mechanism allows fit on both MIL-SPEC and COM-SPEC tubes
- > **Upgrade options:** cheek rest, picatinny cheek rest, assault buttpad, sniper buttpad or mono-pod



XXX



## GLR-16

M4/AR15 Tactical Collapsible Buttstock

Weight: 276 gr  
Width: 48 mm  
Height: 130 mm  
Length: 180 mm

- > Traction design non-slip butt pad for fast and stable shoulder positioning
- > Ambidextrous Quick Detach swivel rear sling connectors
- > Watertight battery storage for two CR123 3v lithium / AA 1.5v batteries
- > Non-slip design for steady positioning on body armor
- > Maintains contour and size of original M4 buttstock design
- > Unique patented "anti-rattle" mechanism fit on both MIL-SPEC and COM-SPEC tubes
- > **Upgrade options:** cheek rest, picatinny cheek rest



XXX



AVAILABLE FOR:

GL-MAG & GL-SHOCK

## MBA

Mono-Pod Buttstock Add-on

Weight: 174 gr  
Width: 43 mm  
Height: 132 mm  
Length: 34 mm

- > Provides additional support for precision shooting and superior stability
- > Slick design, will not get caught on gear or webbing
- > Secure retaining mechanism prevents accidental deployment
- > Easily deployed and retracted into the buttstock, kept hidden until needed
- > Rubber foot pad for secure grip on slippery surfaces
- > Two-stage mono-pod provides rapid deployment at the push of a button
- > Threaded micro-adjustment second step for maximum precision
- > Manufactured from fiberglass reinforced polymer composite, aluminum and steel

X



## MG-CP

Micro Galil Cheek Piece

- > Provides increased stability, accuracy and allow proper use of mounted optics
- > Durable and lightweight fiberglass reinforced polymer construction
- > Quick and easy installation, assembled with one bolt



X



## SSR-25

M16/SR25 Sniper Stock

Weight: 550 gr  
Width: 38 mm  
Height: 154 mm  
Length: 295 mm

- > Manually Adjustable cheek Rest for quick and easy positioning
- > Built-in two-stage mono-pod with button based rapidly deployed first step and Threaded micro-adjustment second step provides maximal precision and long term stability
- > Shock-reducing MIL-SPEC Rubber buttpad for comfortable use and positioning
- > Ergonomic design for optimal posture, stability & aim
- > Manufactured from fiberglass reinforced polymer composite, aluminum and steel
- > Quick and Easy Installation No Modifications or Gunsmith Required
- > All adjustable features are readily accessible and operated with one hand

X



## GLR-17/440

Glock Collapsible Tactical Stock

Weight: 209 gr  
 Width: 26 mm  
 Height: 146 mm  
 Length: 264 mm

- Increases stability for enhanced accuracy and longer effective range
- Built in Cheek Rest for more stable aiming and use of optics
- Quick-release mechanism for easy attachment and removal
- Collapsible design with 4 optional lengths
- Unique rapid extension mechanism for minimal reaction time
- Slim and compact design, ideal for undercover operatives and security personnel
- Durable and light fiberglass reinforced polymer construction
- Compatible with Glock generation 1, 2 and 3 models

### COMPATIBILITY:

All Glock Models other than the Gen 4 series

XXX



## M4-G3 FK

Collapsible Buttstock System for H&K G3

Weight: 550 gr  
 Width: 38 mm  
 Height: 154 mm  
 Length: 295 mm

- Collapsible stock with 5 optional lengths provides optimal eye to target alignment
- Made from 6061 T6 Billet aluminum and fiberglass reinforced polymer composite
- Replaces the original stock and securely attaches to the G3 buffer and receiver
- Integrated Quick Detach sling swivel connectors on both sides
- Rubber butt-pad reduces slipping
- Integrated watertight storage compartment for two CR123 / AA batteries
- Upgrade options: cheek rest, picatinny cheek rest

XXX



## M4-FAL FK

Collapsible Buttstock System for FN FAL

Weight: 550 gr  
 Width: 38 mm  
 Height: 154 mm  
 Length: 295 mm

- Collapsible stock with 5 optional lengths provides optimal eye to target alignment
- Made from 6061 T6 Billet aluminum and fiberglass reinforced polymer composite
- Replaces the original stock and securely attaches to the FAL buffer tube and receiver
- Integrated Quick Detach sling swivel connectors on both sides
- Rubber butt-pad reduces slipping
- Integrated watertight storage compartment for two CR123 / AA batteries
- Upgrade options: cheek rest, picatinny cheek rest

# REMINGTON 870/ MOSSBERG 500 TACTICAL STOCKS:

- > Ergonomic, ambidextrous and rock solid sleek design
- > Quick and easy installation, no Gunsmith required
- > Durable and lightweight fiberglass reinforced polymer and aluminum construction
- > Incorporates QD sling swivel sockets on both sides for the SLS sling attachment
- > Built in storage compartment for batteries or cleaning kit
- > SB models provides highly effective recoil reduction system

## IMPROVED UAS SERIES

- > Incorporates QD sling swivel sockets on both sides for the SLS sling attachment
- > Tough and robust design, slim and low profile
- > Embedded adjustable cheek piece with 5 height levels
- > Available for Def-Tech 40mm



**AGR870-FK**

**C**

**XXX**



**AGM500-FK**

**C**

**XXX**



**AGRF870-FK**

**C F**

**XXX**



**AGMF500-FK**

**C F**

**XXX**



## AGR870-FKSB

C S

XXX



## AGM500-FKSB

C S

XXX



## AGRF870-FKSB

C F S

XXX



## AGMF500-FKSB

C F S

XXX



## UAS870

P F

XXX




## UAS500

P F

XXX



Ambidextrous left folding mechanism  
(can also be ordered as a right folder)



GCP

GPCP

All AR-Type stocks kits are also available with an adjustable cheek piece or with built in dual picatinny rails in the GPCP version

# AK 47, AKM 74 / VZ.58 TACTICAL BUTTSTOCKS:



- > Polymer joints and tubes are all made of high-grade, durable, fiberglass reinforced polymer composite
- > Shock absorbing models contain a premium silicon chrome alloy spring based shock absorbing system for your rifle allow faster and more accurate rapid fire
- > All folding polymer hinge stocks can also be ordered in a right-folding configuration



## RBTK-47 FK

**C P**

XXX



## SBTK-47 FK

**C P S**

XXX



## M4AK-P

**C P F**

XXX




Also available for:  
Milled AK47, AKMS, AKS-74U, Saiga, Vepr 12 and Galil rifles

## M4AK-PSB

**C P F S**

XXX



Also available for:  
Milled AK47, AKMS, AKS-74U, Saiga, Vepr 12 and Galil rifles

## INDEX

**C**

Collapsible

**F**

Folding

**S**

Shock Absorbing

**P**

Polymer

**STL**

Steel



## CUSTOMER'S REVIEWS

### GL-SHOCK M4-AK KIT

**Works great** | BY David



Put this on a Saiga .308. When shooting it, recoil is light and does not feel like a .308. This would also work well on a Saiga 12 gauge I'm sure. Cheek riser is a nice plus. Installed easily. Storage area holds two AA batteries and you can stuff the AK cleaning kit in the tube if you are so inclined.

### UAS-AKP

**hands down the best folding stock!** | BY Grant



1. Installation- It came with all the proper hardware, easy to install with some regular screws. Nothing odd or weird going on here :)
2. Performance- nice length of pull (I'm a ~6ft guy), the cheek riser is comfy if slightly limited in adjustment range. very strong, very secure

### UAS-AKP

**P F**

**XXX**



**UPGRADED**

Also available for:  
Milled AK47, AKMS, AKS-74U, Saiga, Vepr 12 and Galil rifles

### UAS-AK

**F STL**

**XXX**



**UPGRADED**

### M4AK

**C F STL**


**XXX**



### M4AK-SB

**S C F STL**

**XXX**



## INDEX

**C** Collapsible

**F** Folding

**S** Shock Absorbing

**P** Polymer

**STL** Steel

## M4-MP5-FK

Collapsible Folding Buttstock  
for MP5

Weight: 529 gr  
Width: 47 mm  
Height: 130 mm  
Length: 253 mm

XXX




- Watertight battery storage for two CR123 3v lithium / AA 1.5v batteries

## UAS-MP5

Tactical Folding Buttstock  
for MP5

Weight: 452 gr  
Width: 30 mm  
Height: 125 mm  
Length: 250 mm

XXX



- Tough and robust design, slim and low profile
- Imbedded adjustable cheek piece design

## H&K MP5 TACTICAL BUTTSTOCKS

- Provides optimal alignment
- Permits appropriate clearance for trigger access when in folded position
- Integrated quick detach sling swivel connectors on both sides
- Non-slip rubber butt pad for fast and stable shoulder positioning
- Locking is released by the push of a button
- Spring lock on folded position, opens by a simple pulling motion and locks
- Right folding stock by default, may be configured upon order to fold left

X



## ARS

Anti-Riot Helmet Visor Collapsible Stock

- Allows proper use of sights while operating with a visor helmet
- Conveniently extends and folds for discreet operation
- Quick and secure fold/unfold mechanism
- Non-slip rubber butt pad for fast and stable shoulder positioning
- Made from 6061 T6 billet aluminum matt black anodized
- G36 ARS mechanism folds both left and right



AVAILABLE FOR:

MP5, MP5K, MP7, G-36 and KPOS

# RUGER 10 / 22 TACTICAL SPORT STOCKS

NEW!



XXX



- > Built-in adjustable cheek-rest with 5 height options

**Compatibility:**

- > Standard, bull barreled or silenced Ruger® 10/22® rifles

## UAS R10/22

Weight	1024 gr
Width	85 mm
(open/deployed)	64 mm
Height	147 mm
Length	490 mm
(open/deployed)	735 mm
LDP	354 mm

XXX



- > Collapsible buttstock system with 5 length options

**Compatibility:**

- > Standard, bull barreled or silenced Ruger® 10/22® rifles

## M4 R10/22

Weight	1063 gr
Width	100 mm
(open/deployed)	64 mm
Height	147 mm
Length	490 mm
(open/deployed)	780 mm
LDP Min	333 mm
LDP Max	405 mm

XXX



- > Built-in adjustable cheek-rest with 5 height options
- > Full length milled aluminum upper Picatinny rail

**Compatibility:**

- > Standard and bull barreled Ruger® 10/22® rifles

## UAS PRO R10/22

Weight	1157 gr
Width	85 mm
(open/deployed)	64 mm
Height	170 mm
Length	490 mm
(open/deployed)	735 mm
LDP	354 mm

XXX



- > Collapsible buttstock system with 5 length options
- > Full length milled aluminum upper Picatinny rail

**Compatibility:**

- > Standard and bull barreled Ruger® 10/22® rifles

## M4 PRO R10/22

Weight	1196 gr
Width	100 mm
(open/deployed)	64 mm
Height	170 mm
Length	490 mm
(open/deployed)	780 mm
LDP Min	333 mm
LDP Max	405 mm


- > 1913 MIL-STD Picatinny side and lower rails
- > Side folding buttstock (left folding by default) for compact carry and storage
- > Ergonomic design prevents wrist fatigue and improves trigger operation
- > Durable and lightweight fiberglass reinforced polymer construction
- > Available in black, olive drab green or flat dark earth



# BUFFER TUBES



X



## SBT-K47

Recoil Reducing Ak47 Buffer

Weight: 157 gr  
 Width: 34 mm  
 Height: 43 mm  
 Length: 208 mm

- > Tight and secure fit on a stamped receiver AKM
- > Quick and easy installation, no Gunsmith required
- > Allow Optimal Sight Alignment
- > Made durable and lightweight fiberglass Reinforced Polymer
- > Provides 7 possible length Settings for user compatibility
- > Recoil reducing system improves accuracy during rapid fire
- > COM-SPEC sized tube
- > Available with the GLR-16 tactical stock in the FK version

X



## SBT-V58

Recoil Reducing Vz. 58 Buffer Tube

Weight : 149 gr  
 Diameter: 29  
 Width: 48 mm  
 Height: 44 mm  
 Length: 224 mm

- > Tight and secure fit on SA VZ.58
- > Quick and easy installation, no Gunsmith required
- > Allow Optimal Sight Alignment
- > Made durable and lightweight fiberglass Reinforced Polymer
- > Provides 7 possible length Settings for user compatibility
- > Recoil reducing system improves accuracy during rapid fire
- > COM-SPEC sized tube
- > Available with the GLR-16 tactical stock in the FK version



X



## TUBE M4

6 Positions Mil-Spec Buffer Tube For M4

Weight: 157 gr  
Width: 34 mm  
Height: 43 mm  
Length: 208 mm

- > Provides 6 possible length settings for optimal user compatibility
- > Perfect for a custom build installing a MIL-SPEC stock on a carbine, or upgrading a fixed-stock rifle with an adjustable M4 stock
- > Machined from a lightweight aluminum hard coat anodized and dry film lube-coated inside for smooth operation of the buffer and spring

X



## TAM-4

M4 Tube Assembly

Weight: 247 gr  
Diameter: 27  
Height: 37 mm  
Length: 182 mm

- > Provides 6 possible length settings for optimal user compatibility
- > Perfect for a custom build installing a MIL-SPEC stock on a carbine, or upgrading a fixed-stock rifle with an adjustable M4 stock
- > Machined from a lightweight aluminum hard coat anodized and dry film lube-coated inside for smooth operation of the buffer and spring
- > Provided recoil spring and buffer, locking ring, and the TSA receiver plate

X



## RBT-K47

Reinforced Polymer Ak47 Buffer

Weight: 145 gr  
Diameter: 29  
Width: 34 mm  
Height: 42 mm  
Length: 209 mm

- > Tight and secure fit on a stamped receiver AKM
- > Quick and easy installation, no Gunsmith required
- > Allow Optimal Sight Alignment
- > Made durable and lightweight fiberglass Reinforced Polymer
- > Provides 8 possible length Settings for optimal user compatibility
- > COM-SPEC sized tube
- > Available with the GLR-16 tactical stock in the FK version

# GENERAL PROPERTIES



Our line of polymer rail systems and hand guards are ergonomically designed and built from lightweight, heavy-duty, reinforced and extremely resilient polymer composite to withstand even the roughest conditions and provide Improved thermal insulation.

Our aluminum rail systems are all precision machined from 6061 T6 Billet aluminum for maximum strength and durability.

Matte black hard coat anodized for optimal wear resistance.

Aluminum rail systems are all supplied with rail covers for Protection.

PAGES **34-45**

# RAIL SYSTEMS

MAXIMUM PERFORMANCE




## UPR 16/4

M4 Picatinny Under-Rail

Weight: 46 gr  
Width: 21 mm  
Height: 16 mm  
Length: 155 mm

XXX



- > Compensates the hand-guard's angle, allow parallel to barrel positioning
- > Allow mounting of any picatinny base accessory for optimal versatility
- > Made of durable and lightweight fiberglass reinforced polymer composite
- > Fits on all M16/M4/AR15 standard handguards
- > MIL-STD 1913 picatinny rail

## HG-S

Carbine Length Polymer Handguard

Weight: 138 gr  
Width: 54 mm  
Height: 57 mm  
Length: 170 mm

XXX




- > Allow mounting of the UPR 16/4
- > Made of durable and lightweight fiberglass reinforced polymer composite
- > Aluminum heat shields provide appropriate insulation and ventilation
- > Quick and easy installation, replaces the original handguard

## DPR 16/4

Double Accessory Rail

Weight: 47 gr  
Width: 62 mm  
Height: 21 mm  
Length: 64 mm

XXX



- > Provide two short 45° off center accessory rails
- > May be positioned on either segment of handguard
- > Allow positioning of tactical flash lights and lasers
- > Made of durable and lightweight fiberglass reinforced polymer composite
- > Compact design keeps Most of the Handguard Unobstructed

## FGR-3

Carbine Length Polymer Tri-Rail Handguard

Weight: 179 gr  
Width: 66 mm  
Height: 60 mm  
Length: 186 mm

XXX



- > Enables three MIL-STD 1913 picatinny rails
- > Allow mounting of any picatinny base accessory
- > Made of durable and lightweight fiberglass reinforced polymer composite
- > Aluminum heat shields provide appropriate insulation and ventilation
- > Quick and easy installation, replaces the original handguard

X

## NFR-EX

Carbine Length Extended Aluminum  
Quad-Rail System

Weight: 44 gr  
Width: 37 mm  
Height: 21 mm  
Length: 55 mm



- Four extended 1913 MIL-STD Picatinny rails for versatile mounting solutions
- Precision machined from 6061 T6 Billet aluminum for maximum durability
- Rugged construction will not bend or deform under any condition
- Field tested under extreme conditions for maximum performance
- 7 quick detach sling swivel sockets for secure and versatile slinging options
- Matte black hard coat anodized for optimal wear resistance
- Rail system firmly locks to the barrel nut and over the front handguard cap
- Perfect alignment with the receiver, secured with anti-rotation locking tabs
- Quick and easy installation, no Gunsmith required



X

## SBS

M4 Bayonet Dual Picatinny Mount

Weight: 44 gr  
Width: 37 mm  
Height: 21 mm  
Length: 55 mm



- Ensures stability and accuracy of mounted lasers & devices
- Quick and easy installation, no Gunsmith required
- Secured to the M16 bayonet lug with three Hex ("Allen" type) Bolts
- Milled of 6061 T6 Billet aluminum matte black anodized

## NFR

Carbine Length Aluminum  
Quad-Rail System

X




UPGRADED

Weight: 297 gr  
Width: 55 mm  
Height: 80 mm  
Length: 177 mm

## NFR-M5

Mid Length Aluminum  
Quad-Rail System

X




Weight: 380 gr  
Width: 55 mm  
Height: 60 mm  
Length: 231 mm

## NFR-RL

Rifle Length Aluminum  
Quad-Rail System


X



Weight: 534 gr  
Width: 55 mm  
Height: 60 mm  
Length: 315 mm

- Four 1913 MIL-SPEC picatinny rails for versatile mounting accessory applications
- Precision machined from 6061 T6 Billet aluminum for maximum durability
- Rugged construction will not bend or deform under any condition
- Field tested under extreme conditions for maximum performance
- Quick and easy installation, no Gunsmith required
- Rail system firmly locks to the barrel nut and over the front handguard cap
- Slim profile for better grip and firearm handling

X



## VFR / VFR-C

Carbine Length 'Free Floating' Rail System


Weight: 330 gr  
Width: 60 mm  
Height: 61 mm  
Length: 163 mm

- Four 1913 MIL-SPEC picatinny rails for versatile mounting options
- Side and under rail can be removed or repositioned on any of 7 positions
- Precision machined from 6061 T6 Billet aluminum for maximum durability
- Rugged construction will not bend or deform under any condition
- Field tested under extreme conditions for maximum performance
- Rail system firmly locks to the barrel nut and over the M4 upper rail
- Maintaining free floating barrel for optimal ballistics and accuracy
- Quick and easy installation, no Gunsmith required
- Slim profile for better grip and firearm handling
- Also available in the C version for M16 with a handle

## AK-47

AK-47 Polymer Quad Rail Handguard

XXX



Weight: 183 gr  
Width: 61 mm  
Height: 81 mm  
Length: 166 mm

## KPR

AKS-74U Quad-Rail Polymer Handguard

XXX




Weight: 182 gr  
Width: 67 mm  
Height: 85 mm  
Length: 139 mm

## SA-58

SA VZ.58 Quad-Rail Polymer Handguard

XXX



Weight: 188 gr  
Width: 60 mm  
Height: 80 mm  
Length: 183 mm

- Enables four picatinny rails for secure mounting of optics and accessories
- Durable and lightweight fiberglass reinforced polymer construction
- Quick and easy installation, no Gunsmith required
- Provides appropriate thermal isolation and heat dissipation
- Available in matte black, olive drab green or flat dark earth

X

NEW!



## VFR-SVD

Dragunov Sniper Rifle Aluminum Quad-Rail System

Weight: 320 gr  
Width: 55 mm  
Height: 73 mm  
Length: 234 mm

- Precision machined 6061 T6 Billet hard anodized aluminum for maximum strength
- Enables four picatinny rails for secure mounting of optics and accessories
- Quick and easy installation, no Gunsmith required
- Replaces the original handguard, firmly secured on the rifle with 4 bolts
- Tested under extreme conditions, maintains zero-retention
- Allow use of the original sights when no optics are mounted

X



## SVDM

Dragunov Sniper Rifle Scope Mount

Weight: 191 gr  
Width: 47 mm  
Height: 83 mm  
Length: 160 mm

- Precision machined from 6061 T6 Billet aluminum for maximum strength
- Securely locks to the accessory rail with manually adjustable pressure mechanism
- 1913 MIL-STD picatinny rail allow use of scopes, night vision or reflex sights
- Compatible with all 1913 MIL-STD picatinny based optics
- Quick and easy installation, no Gunsmith required
- Allow rapid mount / dismount of optics on the SVD (Dragunov Sniper Rifle)

X

NEW!

## PDC

AK/AKM picatinny scope mount dust cover

Weight: 202 gr  
Width: 39 mm  
Height: 42 mm  
Length: 243 mm



- > Secure platform for any Picatinny based optics, keeping iron sights operational
- > Provides a total of 185mm in free picatinny rail space
- > Unique manually adjustable retention mechanism, no gunsmith required
- > Milled of 6061 T6 billet aluminum and steel for optimal strength
- > Matt black hard coat anodized aluminum parts for wear resistance

### Compatibility:

- > AK/AKM rifles and most variants



ULTIMATE  
UPGRADE

The PDC is an aluminum replacement dust cover with milled picatinny scope mount for the AK/AKM assault rifles.


It provides a steady and secure mounting platform for any picatinny based optics on the AK with quick and easy drop in installation.

X

## VFR-AK

AK-47 Full Length Aluminum Quad-Rail System

Weight: 539 gr  
Width: 57 mm  
Height: 85 mm  
Length: 336 mm



- > Full length upper rail allow optimal use of scopes, night vision or reflex sights
- > Precision machined 6061 T6 Billet hard anodized aluminum for maximum strength
- > Four 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- > No Gunsmith required, replaces the original handguard and bolted on the rifle
- > Tested Under extreme conditions, maintains zero-retention
- > Unique design allows use of the original sights when optics are not mounted

X

## VFR-VZ

SA VZ.58 Aluminum Quad-Rail System

Weight: 320 gr  
Width: 55 mm  
Height: 73 mm  
Length: 234 mm



UPGRADED

- > Precision machined 6061 T6 Billet hard anodized aluminum for maximum strength
- > Enables four picatinny rails for secure mounting of optics and accessories
- > Quick and easy installation, no Gunsmith required
- > Replaces the original handguard, firmly secured on the rifle with 4 bolts
- > Tested under extreme conditions, maintains zero-retention
- > Allow use of the original sights when no optics are mounted

X

## SIG-551 SM

SIG-SAUER 551 Scope Mount

Weight: 81 gr  
Width: 21 mm  
Height: 14 mm  
Length: 157 mm




- > Securely attaches to the SIG-551
- > Provides a durable mounting platform for any picatinny based optics
- > MIL-STD 1913 Picatinny Rail
- > Milled out of a solid block of 6061 T6 Billet aluminum
- > Quick and easy installation, secured with one bolt, no Gunsmith required

X

## VFR-RPK

RPK Aluminum Quad-Rail System

Weight: 323 gr  
Width: 57 mm  
Height: 85 mm  
Length: 181 mm



- > Precision machined from 6061 T6 Billet aluminum for maximum strength
- > Matte black hard anodized Coating for wear resistance
- > Four 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- > No Gunsmith required, replaces the original handguard and bolted on the rifle
- > Tested Under extreme conditions, maintains zero-retention
- > Narrow and slim design for enhanced handling
- > Extremely durable structure, most reliable platform available



### CUSTOMER'S REVIEWS

**NFR**

**Awesome**



BY Kally

"Very easy to install. Extremely well machined. Top quality. Fits like a glove. Well worth the money. I had purchased a cheaper one but had to return it due to fit issues. This hand guard is professional grade."

**AK-47**

**Very Good**



BY R.H

"it's a very sturdy its light, it makes the rifle look awesome. When your shooting its provides the barrel to breath so it cools down faster. i would highly recommend this product ..... that why I'm buying another one:]"

## xxx PR-MO

Weight: 220 gr  
Width: 67 mm  
Height: 48 mm  
Length: 201 mm



## xxx PR-870

Weight: 186 gr  
Width: 63 mm  
Height: 56 mm  
Length: 186 mm



## PR-MO / PR-870

Mossberg 500 / Remington 870 Tri Rail Handguard

- Enables three picatinny rails for secure mounting of optics and accessories
- Secure attach for picatinny based flashlights and lasers
- Durable and lightweight fiberglass reinforced polymer construction
- Quick and easy installation, no Gunsmith required
- Provides appropriate thermal isolation

## xxx



## BM-4

Benelli M4 Quad Rail Handguard

Weight: 305 gr  
Width: 65 mm  
Height: 86 mm  
Length: 200 mm

- Enables four picatinny rails for secure mounting of optics and accessories
- Secure attach for your optical sights and lasers
- Durable and lightweight fiberglass reinforced polymer construction
- Quick and easy installation



## CUSTOMER'S REVIEWS

### PR-870 Best pump for 870

★★★★★

BY Andrew

"Fits great and installs quick even for a novice. Its rails hold accessories snug, like my quick release Foregrip and side mounted tactical flashlight. I have this mounted on my Remington 870 Express Tactical."

### PR-MO Perfect for JIC

★★★★★

BY Mae

"I bought this Forend for my Mossberg 500A JIC (Purchased in 2012) and it fit perfectly. You don't need a new action slide tube, and definitely won't need the Hogue adapter nut. I love this Forend!!"

X

## VFR-MAG

FN MAG Rail System

Weight: 345 gr  
Width: 61 mm  
Height: 43 mm  
Length: 183 mm



- > Precision machined from 6061 T6 Billet aluminum for maximum strength
- > Matte black hard anodized Coating for wear resistance
- > Two 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- > No Gunsmith required, replaces the original handguard and bolted on the rifle
- > Tested Under extreme conditions, maintains zero-retention
- > Extremely durable structure, most reliable platform available

## X MP5-RS

ALSO AVAILABLE FOR:

MP5.K

Weight: 172 gr  
Width: 50 mm  
Height: 47 mm  
Length: 155 mm



## X MP5-SM

Weight: 64 gr  
Width: 42 mm  
Height: 25 mm  
Length: 145 mm



UPGRADED

## X G3-RS

Weight: 326 gr  
Width: 48 mm  
Height: 44 mm  
Length: 342 mm



## X G3-SM

Weight: 74 gr  
Width: 42 mm  
Height: 26 mm  
Length: 185 mm



UPGRADED

## MP5/G3 RS

Heckler & Koch Rail Systems

- > Precision machined from 6061 T6 Billet aluminum for maximum strength
- > Matte black hard anodized Coating for wear resistance
- > Three 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- > No Gunsmith required, replaces the original handguard
- > Tested Under extreme conditions, maintains zero-retention
- > Extremely durable structure, most reliable platform available

## MP5/G3 SM

Heckler & Koch Scope Mounts

- > Tight and secure attachment
- > Provides a superior sight mount solution
- > Four bolts provide steady sight mount stability
- > 1913 MIL-STD Picatinny rail
- > Milled of 6061 T6 Billet aluminum
- > No Gunsmith required




**XXX**

## PRG

Galil Polymer Quad-Rail System

Weight: 245 gr  
 Width: 60 mm  
 Height: 83 mm  
 Length: 178 mm




- > Enables four picatinny rails for secure mounting of optics and accessories
- > Secure attach for your optical sights and lasers
- > Durable and lightweight fiberglass reinforced polymer construction
- > Quick and easy installation, no Gunsmith required
- > Provides appropriate thermal isolation and dissipation

## x VFR-GA

- > Fits All GALIL Models (except the Micro-Galil model)


Weight: 459 gr  
 Width: 53 mm  
 Height: 88 mm  
 Length: 352 mm



## x GX-6

- > Fits Micro Galil

Weight: 464 gr  
 Width: 54 mm  
 Height: 83 mm  
 Length: 310 mm



## VFR-GA / GX-6

Galil / Micro Galil Aluminum Quad-Rail Systems

- > Full length upper rail allow optimal use of scopes, night vision or reflex sights
- > Precision machined from 6061 T6 Billet aluminum for maximum strength
- > Matte black hard anodized coating for wear resistance
- > Four 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- > No Gunsmith required, replaces the original handguard and bolted on the rifle
- > Tested Under extreme conditions, maintains zero-retention
- > Unique design allows use of the original sights when optics are not mounted

## X UTR

Weight: 149 gr  
Width: 54 mm  
Height: 45 mm  
Length: 152 mm



## X UTR-M

Weight: 115 gr  
Width: 54 mm  
Height: 45 mm  
Length: 121 mm



## UTR/UTR-M

Uzi / Mini Uzi Aluminum Rail Systems

- Precision machined from 6061 T6 Billet aluminum for maximum strength
- Matte black hard anodized Coating for wear resistance
- Three 1913 MIL-STD picatinny rails allow installation of any picatinny based accessory
- No Gunsmith required, replaces the original handguard and bolted on the rifle
- Tested Under extreme conditions, maintains zero-retention
- Narrow and slim design for enhanced handling
- Extremely durable structure, most reliable platform available

## X



## GIS

Glock Polymer Scope Mount

Weight: 56 gr  
Width: 36 mm  
Height: 70 mm  
Length: 110 mm

- Accepts all picatinny based reflex sights
- Original sights remain functional
- Mounted on to the accessory rail and bolted on to the provided trigger pin
- Quick and easy installation, no Gunsmith required
- Adds a front accessory rail in place of the original one in use
- Made of durable and lightweight fiberglass reinforced polymer composite

## X



## USM

Handgun Universal Aluminum Scope mount

Weight: 80 gr  
Width: 40 mm  
Height: 68 mm  
Length: 102 mm

- Accepts all picatinny based reflex sights
- Original sights remain functional
- Mounted on to the accessory rail and secured with one bolt
- Quick and easy installation, no Gunsmith required
- Adds a front accessory rail in place of the original one in use
- Milled of 6061 T6 Billet aluminum matte black anodized

X



UPGRADED

**AVAILABLE FOR:**

Berretta 92 and Sig Sauer 226

# MPR

Aluminum Accessory Rail for Steel Jericho

Weight:	46 gr
Width:	22 mm
Height:	39 mm
Length:	93 mm

- > Provides a secure mounting option for flashlights and lasers
- > Easily clamps over the trigger guard for tight and secure fit
- > Allows the use of the KPDS G2 conversion system
- > Maintains Zero retention for use of a laser designator

X




# UPT

TAR-21 Picatinny Rail

Weight:	49 gr
Width:	21 mm
Height:	15 mm
Length:	104 mm

- > Compensates the hand guard's angle and allow parallel positioning
- > Milled From 6061 T6 Billet aluminum for optimal durability
- > 1913 MIL-STD picatinny rail allow installation of any picatinny based accessory
- > Matte black hard anodized coating for wear resistance

## X BSR-1



Weight:	39 gr
Width:	36 mm
Height:	34 mm
Length:	50 mm

## X BDR-2



Weight:	57 gr
Width:	36 mm
Height:	43 mm
Length:	50 mm

# BSR-1/ BDR-2

Barrel Double / Single Rail

- > Tight fit ensures the stability and accuracy of mounted devices
- > Allow parallel to barrel positioning
- > Milled From 6061 T6 Billet aluminum for optimal durability
- > 1913 MIL-STD picatinny rail allow installation of any picatinny based accessory
- > Matte black hard anodized coating for wear resistance

# GENERAL PROPERTIES




Our large selection of tactical lights and State-Of The-Art mounting solutions were all made to provide you with the ability to perfectly configure your weapon by your own gear and posture, in order to achieve optimal performance and comfort under any condition.

PAGES **46-51**



## FLASHLIGHTS & MOUNTS

LIGHTING THE WAY



## PLR

Adjustable Flashlight Mount

Weight: 72 gr  
Width: 39 mm  
Height: 71 mm  
Length: 56 mm

XXX



- Designed to securely hold a 1" tactical flashlight or laser
- Folding light mount with 10 positioning options
- Allow ideal Tailcap access for optimal operation
- Allow versatile mounting options for use with accessories
- Fits on all 1913 MIL-STD picatinny rails
- Wing nut based QR mounting mechanism requires no tools
- Secure bolt locking system for mounted device
- Durable and lightweight fiberglass reinforced polymer composite

## PLG

Handgun Flashlight Mount

Weight: 54 gr  
Width: 36 mm  
Height: 36 mm  
Length: 64 mm

X



- Fits on Glock and most handgun accessory rails
- Designed to hold a 1" flashlight
- Secure bolt locking mechanism for the mounted device
- Manual quick release mechanism for fast adapt or remove
- Allow flashlight to be quickly mounted in time of need
- Tough Rigid and Lightweight Reinforced Polymer Design
- Allow ideal Tailcap access for handgun operation

## T-GRIP

Integrated Foregrip  
and Flashlight Mount

Weight: 200 gr  
Width: 37 mm  
Height: 126 mm  
Length: 148 mm

XXX



Index finger  
trigger type activation

- Ergonomic foregrip incorporating a 1" flashlight mount
- Trigger like activation switch for natural and fast activation
- Safety switch prevents accidental activation
- Quick and easy installation, secured with 2 bolts
- No Gunsmith required
- Fits on all 1913 MIL-STD picatinny rails
- Durable and lightweight fiberglass reinforced polymer composite

## T-GRIP R

Integrated Foregrip and Light  
Mount (Rear Activation)

Weight: 200 gr  
Width: 37 mm  
Height: 126 mm  
Length: 148 mm

XXX



Rear thumb  
activation

- Ergonomic foregrip incorporating a 1" flashlight mount
- Built in rear activation switch for fast and natural activation
- Safety switch prevents accidental activation
- Quick and easy installation, secured with 2 bolts
- No Gunsmith required
- Fits on all 1913 MIL-STD picatinny rails
- Durable and lightweight fiberglass reinforced polymer composite

# PLA

Flashlight and Laser Adaptor

Weight: 51 gr  
Width: 36 mm  
Height: 52 mm  
Length: 68 mm

XXX



## AVAILABLE SIZE:

3/4", 1", OR 1.125" IN DIAMETER

- > Designed to securely hold a flashlights or laser device
- > Allow natural Tailcap access for optimal operation
- > Fits on all 1913 MIL-STD picatinny rails
- > Quick release mechanism
- > Secure bolt locking system for mounted device
- > Durable and lightweight fiberglass reinforced polymer composite

# PLS

Flashlight Side Mount

Weight: 55 gr  
Width: 68 mm  
Height: 36 mm  
Length: 52 mm

XXX



- > Designed to securely hold a 1" tactical flashlight or laser
- > Allow Tailcap access for optimal operation
- > Made for ideal use in conjunction with a foregrip
- > Fits on all 1913 MIL-STD picatinny rails
- > Quick release mechanism
- > Secure bolt locking system for mounted device
- > Durable and lightweight fiberglass reinforced polymer composite

# FFGS-1

Folding Foregrip and Flashlight

Weight: 151 gr  
Width: 44 mm  
Height: 71 mm  
Length: 139 mm

X



- > Ergonomic folding foregrip incorporating a 1" flashlight mount
- > Allow rear activation switch access for natural activation
- > Safety switch prevents accidental activation
- > Quick and easy installation, secured with 1 bolt
- > No Gunsmith required
- > Fits on all 1913 MIL-STD picatinny rails
- > Durable and lightweight fiberglass reinforced polymer composite

# FFA-T4

Two-Position Foregrip and Flashlight Mount

Weight: 191 gr  
Width: 45 mm  
Height: 77 mm  
Length: 141 mm

X



- > Ergonomic folding foregrip incorporating a 1" flashlight mount
- > Allow both rear and side activation switch access for natural activation
- > Safety switch prevents accidental activation
- > Quick and easy installation, secured with 2 bolts
- > No Gunsmith required
- > Fits on all 1913 MIL-STD picatinny rails
- > Durable and lightweight fiberglass reinforced polymer composite

X



## MIKI

### Combined Angled Foregrip and Flashlight Mount

Weight: 157 gr  
 Width: 50 mm  
 Height: 77 mm  
 Length: 151 mm

- > Provides natural grip positioning for point and shoot techniques
- > Innovative design made to prevent wrist fatigue and increase long range accuracy
- > Designed to hold any 1" or 1 1/8" diameter flashlight (different models)
- > Allow both tailcap and head switch quick and easy operation
- > Flashlight is secured in the mount by a quick release locking system
- > Quick and easy installation, secured with 1 bolt
- > No Gunsmith required
- > Fits on all 1913 MIL-STD picatinny rails
- > Durable and lightweight fiberglass reinforced polymer composite

X



## KAPI 2

### Micro Galil Handguard and Flashlight Mount

Weight: 218 gr  
 Width: 45 mm  
 Height: 103 mm  
 Length: 165 mm

- > Fits 1-1/8" diameter tactical flashlight
- > Allow both tailcap and head switch quick and easy operation
- > Ergonomically designed hand-guards for tight and secure grip
- > Durable and lightweight fiberglass reinforced polymer composite
- > Quick and easy bolt-on installation, replaces the original handguard
- > Provides appropriate thermal isolation and dissipation

X



## FFS

### Folding Foregrip and Stinger Led Flashlight Mount

Weight: 218 gr  
 Width: 45 mm  
 Height: 103 mm  
 Length: 165 mm

- > Ergonomic folding foregrip incorporating a Stinger LED flashlight mount
- > Allow comfortable side activation switch access for natural activation
- > Quick and easy installation, secured with 2 bolts
- > No Gunsmith required
- > Fits on all 1913 MIL-STD picatinny rails
- > Durable & lightweight fiberglass reinforced polymer composite

**X**

Max light output



Max runtime



Beam distance



Peak beam intensity



Impact resistant



Waterproof and submersible

## SPEEDLIGHT G2 3V

2nd Gen 1" Tactical Flashlight

Weight: 69 gr  
Diameter: 25  
Length: 87 mm

- > 1 inch in diameter
- > Made of 6061 T6 Billet aluminum casing for optimal durability
- > Matte black hard coat anodized for wear resistance
- > Provided with the SPL-C tactical cover
- > Water resistant - up to 1.5 meters
- > Dual grip-enhancing ribbons for optimal handling
- > Provides a 378 LED lumen output
- > Pressure activated tactical on/off tailcap
- > Powered by a single CR123 battery, 1.5 hrs. Of constant runtime

**X**

Max light output



Max runtime



Beam distance



Peak beam intensity



Impact resistant



Waterproof and submersible

## SPEEDLIGHT G2 6V

2nd Gen 1" 6V Led Tactical Flashlight

Weight: 93 gr  
Diameter: 25  
Length: 121 mm

- > 1 inch in diameter
- > Made of 6061 T6 Billet aluminum casing for optimal durability
- > Matte black hard coat anodized for wear resistance
- > Provided with the SPL-C tactical cover
- > Water resistant - up to 1.5 meters
- > Dual grip-enhancing ribbons for optimal handling
- > Provides a 590 LED lumen output
- > Pressure activated tactical on/off tailcap
- > Powered by two CR123 batteries, 1.5 hrs. of constant runtime

**X**

Max light output



Max runtime



Beam distance



Peak beam intensity



Impact resistant



Waterproof and submersible

## PR-3 G2

2nd Gen Tactical Flashlight W / Integrated Picatinny Mount

Weight: 96 gr  
Width: 42 mm  
Height: 36 mm  
Length: 93 mm

- > Built-in quick release 1913 MIL-STD picatinny mount
- > Made of 6061 T6 Billet aluminum casing for optimal durability
- > Matte black hard coat anodized for wear resistance
- > Provided with the SPL-C tactical cover
- > Water resistant - up to 1.5 meters
- > Dual grip-enhancing ribbons for optimal handling
- > Provides a 378 LED lumen output
- > Pressure activated tactical on/off tailcap
- > Powered by one CR123 battery, 1.5 hrs. of constant runtime



## CUSTOMER'S REVIEWS

**MIKI**

**great**  
BY **Timone**



Item was exactly what was expected. Shipping was fast! Product is of high quality and very durable. Would buy again when I need another. Cheapest on the web also.

**SPL 3V**

**Nice compact light**  
BY **speedy**



I've had this light installed on my Rem 870 for some time and it has held up well to hundreds of magnum buckshot. Not as bright as some, but way more than enough light.

**PLA**

**Works Great!!**  
BY **jessek**



Works Great!! It is a little on the tight side when placing it on the rail, but that good cause you know it will not come off come hell or high water.

X



## SPEED LIGHT MAGNA

Magnetized Flashlight

Weight: 170 gr  
Width: 41 mm  
Height: 73 mm  
Length: 121 mm

- > Powerful Magnet Allow instant setting on any metal surface
- > Ball Joint Connector Allow angle adjustment
- > Matte black hard coat anodized for wear resistance
- > Provided with the SPL-C tactical cover
- > Water resistant - up to 1.5 meters
- > Provides 378 LED lumen output
- > Pressure activated tactical on/off tailcap
- > Powered by one CR123 battery
- > Approximately 1.5 hrs. Of constant runtime



Max light output



Max runtime



Peak beam intensity



Beam distance



Impact resistant



Waterproof and submersible

X



## FBA / L

Bayonet Lug Light/Laser Adaptor

Weight: 45 gr  
Width: 30 mm  
Height: 41 mm  
Length: 67 mm

- > Available in 3/4" and 1" diameter models
- > Provides a secure bolt locking system for the mounted device
- > Tight fit on the bayonet lug, ensures stability and accuracy
- > Made of durable 6061 T6 Billet aluminum
- > Quick and easy installation secured by two bolts
- > No modification or gunsmith required

AVAILABLE FOR:

M4, UZI & VZ 58



# GENERAL PROPERTIES




This quality line of the most durable FAB-Defense magazine accessories brings you to the pinnacle of integrated innovation in sync with phenomenal operational tactical experience all in one. All our magazine accessories were designed after extensive field testing, including real-time operational feedback from some of the world's best tactical military and Police units in the world, leading to the most advantageous tactical magazine accessory products available on the market.

PAGES **52-56**

## MAGAZINES & ACCESSORIES

COUNT ON IT!



XXX

NEW!

# ULTIMAG SMART LOAD

M4/AR15 30 round 5.56x45 easy load magazine


Weight: 174 gr  
Width: 23 mm  
Height: 193 mm  
Length: 72 mm



- > Unique ripcord technology mechanism for quick and easy magazine reload
- > Multi-textured surface for enhanced grip when handling and reloading
- > Long-lasting cataphoresis-coated stainless steel spring for ideal corrosion protection
- > Unique internal design for smoother with low-friction follower for reliable operation
- > Durable, lightweight, impact and crush-resistant reinforced polymer construction
- > Long-lasting spring design for extended duration in loaded storage
- > Round-level windows and indicators on both sides show remaining rounds from 10 to 30
- > Extended floorplate for improved magazine handling with gloves and gear
- > Compatible with most double and triple mag pouches
- > Over-travel protection, stops on the follower for reliable spring operation
- > Available in black, olive drab green, or flat dark earth

**Compatibility:**

- > 5.56x45 NATO (.223 Remington) M16/M4/AR15 variants



1. Pull the cord



2. Drop in ammo



3. Push the cord release button - and you're done!

XXX

NEW!

# ULTIMAG AK 30R

AK47/74 30 Rounds polymer magazine

Weight: 166 gr  
Width: 35 mm  
Height: 214 mm  
Length: 81 mm



- > 30 round 7.62x39 durable and reliable AK magazine
- > Multi-textured surface for enhanced grip
- > Long-lasting cataphoresis-coated spring
- > Impact and crush-resistant reinforced polymer
- > Over-travel protection, stops on the follower
- > Visual indication of remaining rounds from 10 to 30



- > Also available for 7.62x39 VZ.58 in the ULTIMAG VZ 30R version

XXX



## ULTIMAG 30R

M16/M4/AR15 30 Rounds polymer magazine

Weight: 174 gr  
Width: 23 mm  
Height: 193 mm  
Length: 72 mm

- > 30 round 5.56x45 NATO (.223 Remington)
- > Multi-textured surface for enhanced grip
- > Long-lasting cataphoresis-coated spring
- > Impact and crush-resistant reinforced polymer
- > Over-travel protection, stops on the follower
- > Visual indication of remaining rounds from 10 to 30



## ULTIMAG 10R

M16/M4/AR15 10 Rounds polymer magazine

Weight: 100 gr  
Width: 29 mm  
Height: 94 mm  
Length: 72 mm

## ULTIMAG AK 10R

AK47/74 10 Rounds polymer magazine

Weight: 105 gr  
Width: 32 mm  
Height: 107 mm  
Length: 73 mm

XXX



### Compatibility:

- > 5.56x45 M16/M4/AR15 variants, OMC / PMC couplers

XXX



### Compatibility:

- > 7.62x39 AK Models and variants

## 10 ROUNDS ULTIMAG POLYMER MAGAZINES

- > Ergonomic design made for enhanced grip and faster magazine change
- > Dissembled by hand, no tools needed
- > Made of durable, light weight, polymer composite and steel
- > Highly reliable construction, built to last

## PMC KIT

Ultimag 10R Pentagon Magazine Kit

Weight: 100 gr  
Width: 29 mm  
Height: 94 mm  
Length: 72 mm

XXX



- > PMC coupler and five Ultimag 10R magazines
- > PMC coupler is also available separately

## OMC KIT

Ultimag 10R Dual Magazine Kit

Weight: 211 gr  
Width: 30 mm  
Height: 205 mm  
Length: 79 mm

XXX



- > OMC coupler and two Ultimag 10R magazines
- > OMC coupler is also available separately

## 10 ROUNDS ULTIMAG COUPLING OPTIONS

- > Highly ergonomic design
- > Durable fiberglass reinforced polymer construction
- > Maintains 10 cartridges limitation
- > External coupler - does not replace magazine floor plate
- > 5.56x45 NATO (.223 Remington) M16/M4/AR15 compatible

## SH-5

12 Gauge shotgun shells holder

Weight: 220 gr  
Width: 67 mm  
Height: 48 mm  
Length: 201 mm

XX



- > 12 Gauge compatible
- > Conveniently keeps 5 extra rounds close by for swift reload

## SH-6

20 Gauge shotgun shells holder

Weight: 66 gr  
Width: 29 mm  
Height: 46 mm  
Length: 123 mm

X



- > 20 Gauge compatible
- > Conveniently Keeps 6 Extra Rounds Close by for Swift Reload

## SH-5 / SH-6

12 Gauge / 20 Gauge Shotgun Shells Holders

- > Quick release 1913 picatinny mount
- > No Gunsmith required
- > Extremely durable fiberglass reinforced polymer composite

## MH 5.56/.223

Vertical M16/M4/AR15  
Magazine Carrier

Weight: 74 gr  
Width: 58 mm  
Height: 138 mm  
Length: 75 mm



## MTH

Horizontal M4  
Magazine Carrier

Weight: 81 gr  
Width: 31 mm  
Height: 150 mm  
Length: 95 mm



## MCE

Polymer & Material Strips  
Magazines Coupler


Weight: 60 gr



## TZ-2

Polymer M4 Magazine Coupler

Weight: 78 gr  
Width: 25 mm  
Height: 76 mm  
Length: 61 mm



## 5.56 POUCH

M4 Magazine Belt Pouch

Weight: 78 gr  
Width: 25 mm  
Height: 76 mm  
Length: 61 mm



## TZ-M4

M4 Magazine Coupler

Weight: 93 gr  
Width: 65 mm  
Height: 107 mm  
Length: 75 mm



## TZ-M9

9mm Tavor  
Magazine Coupler

Weight: 70 gr  
Width: 59 mm  
Height: 25 mm  
Length: 46 mm



## TZ-5

9mm/MP5 Magazine Coupler

Weight: 50 gr  
Width: 70 mm  
Height: 52 mm  
Length: 45 mm




# GENERAL PROPERTIES



Take your weapon to the next level, with our line of parts and accessories, including a quality line of safety products, designed to prevent accidental discharge by enhancing weapon awareness and increased visibility.

The cutting edge mounting options, as well as exceptionally practical products were all made for advanced operational abilities and ideal comfort.

PAGES **57-61**



## PARTS & UPGRADES

TAKE IT TO THE NEXT LEVEL

## RBS

Rear Back-Up Sight

Weight: 30 gr  
Width: 32 mm  
Height: 42 mm  
Length: 30 mm



- Dual apertures are 3mm for longer eye relief mounting, low light, and faster target acquisition; and 1.5mm for shorter eye relief mounting and greater accuracy; each is instantly selectable to match conditions

## FBS

Front Back-Up Sight

Weight: 66 gr  
Width: 29 mm  
Height: 46 mm  
Length: 123 mm



- Ergonomic angel-wing-shaped front shroud helps center the image with any rear sight, but when used with a matching FAB Defense® RBS Rear Back-up Sight, it creates a precise optical tunnel that ensures more accurate aiming and faster target acquisition

## RBS / FBS

Rear / Front Back-Up Sight

- Can be used as primary or back-up sight
- Low folded profile is smooth and inconspicuous, and will not snag on gear, webbing, or brush
- Instant spring-locked deployment mechanism will not slip, break or deform
- No tools needed for easy, rapid sight adjustments, with positive detent locking
- Made of extremely durable high-grade polymer and metal
- **Compatibility:** All 1913 Picatinny rails




## TACTIC SKIN

Slide Cover For Glock 17/19

Weight: 25 gr  
Width: 29 mm  
Height: 23 mm

- Provides improved front and rear serrations for easier cocking
- Allow proper handgun operation when wearing gloves or with sweaty hands
- Protects the slide from every day damage and bumps
- Made of high-grade, non-slip fiberglass reinforced polymer composite
- Quickly and easily installed and removed without a gunsmith
- Available in five colors for camouflage and versatility
- Pistol fit in to the Glock 21 holsters when mounted
- **Notice:** does not fit on "C" models

X



## TPM

Trijicon Picatinny Mount

Weight: 125 gr  
Width: 50 mm  
Height: 13 mm  
Length: 93 mm

- > Secured by a solid steel locking bar and two steel QR levers
- > Designed with an ACOG channel
- > Fits on all 1913 MIL-STD picatinny rails
- > Quick mounting and dismounting that maintains 'zero' alignment
- > Ensures extremely tight and secure mount of the telescope over time
- > Milled of 6061 matte black hard anodize coated aluminum and steel
- > Quick and easy installation, no Gunsmith required

X



## SD 34/30

Telescope Mount

Weight: 312 gr  
Width: 50 mm  
Height: 62 mm  
Length: 129 mm

- > Secured by a solid steel locking bar and two steel QR levers
- > Quick mounting and dismounting that maintains 'zero' alignment
- > Ensures extremely tight and secure mount of the telescope over time
- > Milled of 6061 matte black hard anodize coated aluminum and steel
- > Most durable and reliable mount available on the market
- > Compatible with 34/30mm (1.2-1.3") in diameter scope
- > Quick and easy installation
- > Features a 0.5 degree correction angle adds 30 MOA / 8.73 MRAD
- > Fits on all 1913 MIL-STD picatinny rails

## BUNGEE



XX

## SL-1



XX

## SL-2



X

## BUNGEE / SL-1 / SL-2

Tactical Sling Solutions

- > May be attached to a single sling swivel or two
- > Suitable for commando-style carrying / slinging / gripping
- > Enables effective operation of the rifle

## TSA

Tactical Sling Adapter

Weight: 21 gr  
Width: 48 mm  
Height: 52 mm  
Length: 3 mm



X

## SLA

Aluminum Sling Picatinny Attachment

Weight: 12 gr  
Width: 34 mm  
Height: 20 mm  
Length: 13 mm



X

## FCH

Glock Cocking Handle

Weight: 21 gr  
Width: 40 mm  
Height: 13 mm  
Length: 16 mm



X

## TD-2

Barrel Mounted -  
Tire Deflator Dagger

Weight: 253 gr  
Width: 30 mm  
Height: 30 mm  
Length: 181 mm



X

## PSA

QD Picatinny Sling  
Swivel Attachment

Weight: 40 gr  
Width: 20 mm  
Height: 32 mm  
Length: 16 mm



X

- Incorporates a durable SLS QD sling swivel
- Complimented with a 1913 MIL-STD picatinny mount

## SLS

QD Sling Swivel Attachment

Weight: 24 gr  
Width: 20 mm  
Height: 15 mm  
Length: 40 mm



X

- Mounts to any FAB-Defense® QD swivel sockets
- Easily attached with swivel clip type strap attachment

## UGC

AR15 Receiver Gap Closure

Weight: 2 gr  
Width: 13 mm  
Height: 18 mm  
Length: 14 mm




X

- Reduces rattling noise, improves stability and accuracy
- Cost effective solution simple to install

## RAIL COVERS

Full Picatinny Rail Covers


Weight: 24 gr  
Width: 20 mm  
Height: 15 mm  
Length: 40 mm



XXX



X



## WB-2

Tactical Mounted Window Breaker

Weight: 160 gr  
 Width: 68 mm  
 Height: 49 mm  
 Length: 86 mm

- > Triggered by an instinctive application of pressure against a window
- > Powerful spring based mechanism allow effective operation in close quarters
- > Secured mechanism, will not be triggered by gunfire
- > Allow keeping target on sights while breaking a problematic window
- > Quick release mechanism fits on handgun accessory rails
- > Life-saving, clean glass-breaking, used by emergency and SWAT teams worldwide
- > Durable fiberglass reinforced polymer composite construction

X



UPGRADED

## FD-203

M203 Standalone Conversion Kit

Weight: 682 gr  
 Width: 81 mm  
 Height: 188 mm  
 Length: 368 mm


- > Provides a standalone, compact folding stock platform for the M203
- > 1913 MIL-STD picatinny upper rail for any picatinny based sight
- > The perfect contingency plan, provides optimal performance
- > Integrated quick detach sling swivel connectors on both sides
- > Built-in adjustable cheek piece with 5 height levels

## DEKER

EOD Prodder

- > Ergonomic designed handle provides comfortable grip
- > Convenient and effective operation with maximum functionality
- > Extremely durable Israeli army design, manufactured from spring steel

X



# SELF-DEFENSE & TRAINING



## GOTCHA CAP

Less-Lethal Self-Defense Tool

Width: 141 mm  
Height: 5 mm  
Length: 92 mm  
Length: 87 mm

- > Made from durable reinforced polymer composite
- > Easily carried - very compact
- > Ergonomic design, allow various defensive techniques
- > Provides a simple and comfortable carry method
- > Low profile and inconspicuous design
- > Quick and easy to use, always within reach
- > High grade tactical cap, available in four colors

X



## FCP

Pressure Point  
Restraining Tool

Weight: 42 gr  
Width: 9 mm  
Height: 150 mm  
Length: 62 mm

- > Made from reinforced polymer composite
- > Easily carried, very compact and low profile signature
- > Ergonomic finger placement for maximum grip strength
- > Index finger loop for added retention ability and Protection
- > Conveniently used as a wrench
- > Not to be used as a "knuckle duster" or a punching device

X



## KUBOTAN

Pressure Point Force-Multiplier

Weight: 18 gr  
Diameter: 17  
Length: 130 mm

- > Made from reinforced polymer composite
- > Compact and low profile signature
- > Ergonomic finger placement for maximum grip strength

X



## BABY TONFA

Pressure Point Force-Multiplier

Weight: 18 gr  
Width: 17 mm  
Height: 45 mm  
Length: 151 mm

- > Made from reinforced polymer composite
- > Compact and low profile signature
- > Ergonomic finger placement for maximum grip strength

X



## KARAMBIT

Polymer Training Karambit

Weight: 37 gr  
Width: 16 mm  
Height: 72 mm  
Length: 160 mm

- > Made of hard polymer composite
- > Ideal for self defense training
- > Allows complete realistic attack scenarios/maneuvers
- > Provides optimal learning experience
- > No sharp edges

XXX



## LO

Letter Opener

Weight: 30 gr  
Width: 34 mm  
Height: 22 mm  
Length: 205 mm

- > A perfect tool for EOD personnel, non-metallic or absorbent
- > Made of durable fiberglass reinforced polymer composite
- > Provides additional opening power on tough envelopes
- > Ergonomic handle provides comfortable and secure grip

XXX



## TKN

Rubber Training Knives

- > Flexible rubber knives, ideal for Krav-Maga self-defense training
- > Allows complete realistic attack maneuvers for optimal learning experience

X



## HXB

Hybrid Polymer & Steel Expendable Baton

Weight: 263 gr  
Width: 38 mm  
Length: 237 mm  
Length: 575 mm [open]

- > Tubular shafts are molded from fiberglass reinforced polymer with a steel tip
- > Hybrid steel and polymer structure ensures lightweight and durability
- > Corrosion resistant and flexible tubular shafts provides a whip like stroke
- > Rubberized non-slip grip over-mold for ultimate performance
- > Three separate sections expand to a length of 22in/56cm by a flick of the wrist
- > Securely locked in once expanded and retracts by tapping the tip on a hard surface
- > Tungsten carbide glass breaking tip integrated at the bottom
- > Belt or MOLLE compatible ballistic nylon pouch included

# SAFETY PRODUCTS



X



## BUC

Blank Bullet Trap Firing Adaptor

Weight: 278 gr  
Width: 30 mm  
Length: 106 mm

- Prevents accidental live round discharge by
- Absorbing (stops) up to 3 accidentally discharged rounds
- Easy to assemble
- Improves gas retraction in use of blanks
- Improves safety, saves lives
- Provides a comfortable, steady firing support

X




## TS-BB 9MM

Tactical 9mm Barrel Blocker

- Adds a visual safety measure, securing unloaded chamber
- Enhances firearm situational awareness
- Prevents accidental discharge while mounted
- Instantly ejected during cocking, enables a round in to the chamber

X



## G-CLAMP

Multiple Purpose Forensics/EOD/Hazmat  
Polymer Pliers

Weight: 285 gr  
Width: 67 mm  
Height: 42 mm  
Length: 340 mm

- Provides enhanced and safer grip during sensitive handling maneuvers
- Made from non-magnetic, chemical resistant high-grade polymer composite
- Heat resistance up to 150c/302f constant and 250c/482f short duration
- Strong and durable construction lifts up to 10 k/22lbs
- Operational ergonomic design with folded locking mechanism

X



## GSCA

Glock Safety Cord Attachment

Weight: 6 gr  
Width: 23 mm  
Height: 20 mm  
Length: 16 mm

- Tightly fits into Glock gen 1-3 grips and secured with one bolt
- Provides a secure attachment platform for any pistol safety cord
- Manufactured with reinforced polymer composite and nickel coated steel
- Incorporates a non-protruding steel loop for extra strength and security

X



## PDA 9MM

Practice 9mm Ammunition

- Allows very realistic weapon handling during training scenarios
- Provides a higher degree of safety than when using live ammo
- Enables normal functions of magazine handling, charging and ejection
- An exact replica of 9x19 ammunition
- Made of durable, bright orange Polymer to distinguish it from a live round

X



## PDA 5.56

Practice 5.56x45 Ammunition

- Allows very realistic weapon handling during training scenarios
- Provides a higher degree of safety than when using live ammo
- Enables normal functions of magazine handling, charging and ejection
- An exact replica of 5.56x45 ammunition
- Made of durable, bright orange Polymer to distinguish it from a live round

## SAFETY RODS

Polymer Safety Rod



### AVAILABLE FOR:

AK-ROD 47 Fits the AK-47  
AR-ROD 16 Fits the M16/M4/AR15  
MP-ROD 9 Fits the MP-5 or Any 9mm Pistol


- Securely blocks barrel and chamber and prevents chambering a round
- Perfect solution during firearms training and storage modes
- Bright orange color for enhanced visibility
- Highly useful tool for weapon safety and accident prevention

# GENERAL PROPERTIES



SCORPUS Type R Holsters features a dual retention system designed to provide a quick and natural draw when the handgun is “properly” held and to prevent draw in cases of partial hold on the pistol that would be found in weapon grabbing attempts. All made to provide the user with the time needed to disable an attacker while allowing rapid reaction ability for any upcoming event.

PAGES **66-67**



## SCORPUS HOLSTERS

**QUICK DRAW, SECURE CARRY**

# SCORPUS PADDLE AND BELT HOLSTERS

## LEVEL 1 - QUICK DRAW HOLSTERS



- > 2-point spring based retention system for quick draw and secure carry

## LEVEL 2 - RETENTION HOLSTERS



- > True 'level 2' detent retention system, both spring based and pressure activated locking lever for secure carry and weapon grabbing protection

- > Provides excellent handgun protection
- > Slim and compact design for close handgun carry
- > Finger channel keeps index finger safely positioned during draw
- > Anti-rattle pressure tab for tight and secure fit
- > Paddle features a 35 degree angle adjustment option
- > Durable fiberglass reinforced polymer composite construction
- > Available in matte black, olive drab green or flat dark earth
- > Provided with one belt loop and one paddle in the kit
- > All models are available in Left Hand configuration, or with a 360 adjustable swivel in the 'S' type

### Available for:

- > Full size / Compact 9mm, .45 Glock models
- > SIG-SAUER P226 models
- > Jericho full frame Steel models
- > 1911 Models
- > Makarov PM/PPM Pistols
- > S&W M&P 9/.40 Full frame and Pro models
- > CZ 75 / SP 01 Shadow
- > H&K USP Pistols

# ADJUSTABLE RETENTION DOUBLE MAGAZINE POUCHES



MANUALLY ADJUSTABLE  
MAGAZINE RETENTION

- > Provides excellent magazine protection
- > Slim and compact design for close carry
- > Innovative 8 levels of manually adjustable magazine retention
- > Allows quick draw action for optimal performance
- > Anti-rattle pressure tab for tight and secure fit
- > Paddle features a 35 degree angle adjustment option
- > Durable fiberglass reinforced polymer composite construction
- > Available in black, OD green or flat dark earth
- > Provided with one belt loop and one paddle in the kit
- > Also available with a 360 adjustable swivel in the 'S' type

### Available for:

- > Glock 9mm, .40 / .45, 10mm magazines
- > Double stack 9mm, .40 / .45 steel magazines
- > 1911 .45 single stack magazines

# SELF-HEALING TARGETS

TAKE IT TO THE NEXT LEVEL



XXXXXX



## CQB

### Vertical Reactive Target System

- > Allows realistic target positioning in corners
- > Does not require standard space for falling targets
- > Ideal for CQB training
- > Reacts upon impact to indicate target hit
- > Safe for use in all ranges, including point-blank target practice
- > Self-healing polymer, recovers thousands of hits, no ricochets
- > Lightweight, easy to setup, transport and store
- > Operational temperature range: 0-50 degrees Celsius

XXXXXX




## VELETA 3 / 2-4

### Rotating Versatile Target System

- > Available in two target sizes, 20 & 15 cm
- > Safe for use in all ranges, no ricochets
- > Fully configurable with two positioning options and six colors
- > Allows new and versatile training scenarios usage
- > Suitable for 9mm and .45 ammo usage
- > Lightweight, easy to setup, transport and store
- > Self-healing polymer, recovers thousands of hits
- > Operational temperature range: 0-50 degrees Celsius

XXXXXX



## SWINGING RACKET

### Dual Swinging Targets Reactive Target System

- > Configurable system with two reactive targets
- > Combines 2 independent swinging racket targets
- > Ideal for practical shooting drills and versatile scenarios
- > Suitable for use with 9mm and .45 ammunition
- > Durable polymer recovers thousands of hits
- > Lightweight, easy to setup, transport and store
- > Operational temperature range: 0-50 degrees Celsius



X X X X X X



## FALLING RACKET

20MM Dual Popper Target System

- > Configurable system with two reactive targets
- > Combines 2 independent falling racket targets
- > Ideal for practical shooting drills and versatile scenarios
- > Suitable for use with 9mm and .45 ammunition
- > Durable polymer recovers thousands of hits
- > Lightweight, easy to setup, transport and store
- > Operational temperature range: 0-50 degrees Celsius

X

SAVE UP TO 30% OF TRAINING TIME



AVAILABLE MODELS:

Reactive 3 - turns off after 3 hits  
Reactive 6 - turns off after 6 hits

## SPARK

Night Range Target Add-on

- > Flashing target pointer
- > Effective target illumination
- > Ideal for night target practice

## SPARK REACTIVE

Night Range Reactive Target Add-on

- > Flashing target pointer
- > Effective target illumination
- > Ideal for realistic night target practice
- > Red flashing light indicates individual target hit



XXXXXX



### STATIC

- Two Self-healing target torsos
- Target pole
- Target base
- Six colors to choose from

### REACTIVE

- Two Self-healing target torsos
- Target pole
- Target base
- Smart joint
- Six colors to choose from

## SELF-HEALING REACTIVE TARGETS

- > Reacts upon impact to indicate on target hit
- > Safe to shoot at all ranges
- > Self-healing polymer recovers thousands of hits
- > Lightweight, easy to setup, transport and store
- > Perfect for sniper, handgun, and assault rifle training

FOR MORE PRODUCTS AND INFORMATION GO TO:

[www.rts-ip.com](http://www.rts-ip.com)

The RTS-1 Self-Healing Reactive Target System is great for both indoor and outdoor ranges, it is used for rifle and handgun practices, law enforcement, military and recreational training. May be used with any type of handgun or SMG ammunition. The RTS-1 contains no metal parts, eliminating ricochets. The RTS Target parts are all made from special polymers ensuring shooter safety even at point-blank range.



### FULL PACKAGE

- 9 Self-healing Static Targets
- 9 sensors and transmitters
- 1 digital hit display + base and pole
- 2 remote controls
- Six colors to choose from

「PACK OF 9」

### STARTER KIT

- 5 Self-healing Static Targets
- 5 sensors and transmitters
- 1 digital hit display + base and pole
- 2 remote controls
- Six colors to choose from

「PACK OF 5」

## PORTABLE WIRELESS HIT COUNTING SYSTEM

- > Electronic wireless hit counter
- > No need to walk to targets to check hits and cross the line of fire
- > Execute more drills / shooting per hour
- > Spend more time with trainees, improving shooting skills

With the RTS Numerator there is no need to go to the target to count hits. The RTS Numerator wirelessly connects to up to 9 different targets keeping accurate track of each hit.


「SAVE TRAINING TIME」

# PERFECTED SIMPLICITY



X X X X X X

NEW!



## COUNTING TARGET KIT

Self-Healing Counting Target kit

- > Reacts upon impact to indicate on target hit
- > Electronic hit-counter, no need to count hits
- > Saves valuable training time
- > Self-healing polymer recovers thousands of hits with no ricochets
- > Lightweight, easy to setup, transport and store
- > Perfect for handgun and assault rifle training
- > Including a complete static target with two target torsos and a hit counter
- > Hit counter is also available separately for any static RTS target
- > Operational temperature range: 0-50 degrees Celsius

X X X X X X


NEW!



## SCREAMING TARGET KIT

Self-Healing Screaming Reactive Target kit

- > Reacts upon impact to indicate on target hit
- > Wireless electronic sound indicating system
- > No need to cross the line of fire to check hits, saves valuable training time
- > Self-healing polymer recovers thousands of hits with no ricochets
- > Lightweight, easy to setup, transport and store
- > Perfect for Sniper, handgun and assault rifle training
- > Including a complete static target with two target torsos and a screaming system
- > Screaming system is also available separately for any static RTS target
- > Operational temperature range: 0-50 degrees Celsius

 Join us on Facebook

43 Yakov Olamy St., Mishmar HaShiva 50297 Israel  
Tel: +972-3-960-3399 | Fax: +972-3-9603312

**EXPECT  
MORE!**

**FAB  
DEFENSE®**

[www.fab-defense.com](http://www.fab-defense.com)